

Degreaser SLOTOCLEAN EL 2032

The Degreaser SLOTOCLEAN EL 2032 is an universal, alkaline, cyanide-free cleaning process for electrolytic degreasing of non-ferrous metals and zinc die-cast. It may also be used as immersion degreaser due to its surfactant combination.

The immersion cleaning process for stubborn residues e.g. grinding- or polishing paste is effectively supported by the use of ultrasonic or hydroson. The good conductivity of the degreaser allows low salt concentration and ensures treatment in the cathodic and anodic phase. While during cathodic poling the cleaning effect is increased due to higher gas formation, much better base material activation is achieved during the anodic phase.

Degreaser SLOTOCLEAN EL 2032 is such a tenside combination, that the use of degreaser additives is not recommended.

The information in this data sheet is based on laboratory as well as practical experience. Figures quoted for operating limits and replenishment quantities are for guidance. Actual values necessary will depend on the components being plated (material and geometry), their application and plating plant conditions.

Important:

Please read these instructions carefully and follow recommendations given. We reserve the right to make technical changes as necessary. In the interests of safety, please pay attention to the R- and S- phrases on the labels of the containers. The minimum shelf life of the additives is printed on the label of the container. The current IMDS number of the layer deposited from the process can be found on the internet at www.schloetter.com/downloads.

For the storage of chemical products only the TRGS 514 and TRGS 515 regulations must be followed. The Hazardous Goods Regulation (ADR/GGVS) is only valid **for transportation** and must not be applied to storage.

